



OBSERVATION FORM



As employer, it is your responsibility to ensure your operators receive training specific to the equipment and gear they will be using, as well as the situation in which that equipment will be used. The training presentation and written exam satisfies the requirements for classroom training. But to be in complete compliance, regulations dictate that operators/workers must also pass a practical examination administered by a qualified trainer.

This is the employer's opportunity to observe trainees in a controlled environment in order to assess whether they have successfully applied the principles from the classroom instruction.

While regulations do not specifically outline the extent of such an observation, you should take ample time to observe the trainee practicing the tasks they will be performing on the work site. At the very least, this should include carrying out a pre-shift inspection as well as other basic principles that govern safe operations or work practices.

If any voice and hand signals are required as part of the job, the trainee should also demonstrate an understanding of these signals and their corresponding functions.

To assist with this responsibility, we have provided a general form you may use when administering the practical examination. Feel free to modify this guide to create one more specific to your employee, equipment, worksite, or job needs.

HOW TO USE IT:

- 1 Simply **OBSERVE** the trainee's competency based on the modules included.
- 2 Follow the list, **CHECKING THE BOX** to indicate whether they satisfactorily performed each task.
- 3 When done, **SIGN AND FILE** this form along with the examination record and certificate.

WORK SAFE, STAY SAFE



OBSERVATION FORM

EMPLOYEE'S NAME: _____ TOPIC/EQUIPMENT: _____

EVALUATOR'S NAME: _____ TITLE: _____

The purpose of the evaluation form is to aid the evaluator in assessing the worker's competency to safely apply in the field the principles learned in the classroom. Items may be added or deleted depending on the working environment or the needs of your employees and company.

SATISFACTORY?		TASK	REMARKS
YES	NO		
IDENTIFIES THE FOLLOWING RIGGING HARDWARE:			
		Shouldered Eyebolt	
		Hammerlock	
		Self-Locking Hook	
		Swivel Hoist Ring	
		Thimble	
		Bolted Shackle	
		Screw pin Shackle	
		Oval Master Ring	
		Un-Shouldered Eye Bolt	
		Wire Rope Clip	
		Wedge Socket	
		Turnbuckle	
IDENTIFIES THE DEFICIENCIES IN EACH OF THE FOLLOWING RIGGING GEAR:			
		Shackles	
		Eye Bolt	
		Hook	
		Chain Sling	
		Wire Rope Sling	
		Flat Sling	
		Round Sling	
		Wire Rope Sling	
SHOW THE FOLLOWING HITCHES & THEIR CAPACITY:			
		Double-wrap choker hitch	
		Choker Hitch	
		Basket Hitch	
		Double-Wrap Basket	
		Double Choker	
		Capacity/Limit for Each Hitch	
DEMONSTRATES THE FOLLOWING HAND SIGNALS:			
		Telescope out	
		Float the load in	
		Emergency Stop	
		DOG Everything	
		Travel the Trolley	



OBSERVATION FORM

		Main Block	
		Wire Up Slowly	
		Boom Down/Wire Up	
		Travel the Bridge	
		Trolley #2	
		Disconnect the Magnet	
		Boom Down	
		Stop	
		Load in (One Hand)	

Supervisor/Trainer Name & Signature

Date